CANADIAN GEOTECHNICAL JOURNAL/REVUE CANADIENNE DE GÉOTECHNIQUE
VOLUME 12, 1975
AUTHOR INDEX/RÉPERTOIRE DES AUTEURS

Ajaz, A., and Parry, R. H. G. Brazilian tensile test for soils: Discussion, 542–544.

Alkire, B. D., Haas, W. M., and Kaderabek, T. J. Improving low temperature compaction of a granular soil, 527–530.

Allen, J. H. *See* Dayal, U.

Baar, C. A. Hydrogeologic investigation of a radioactive waste management site in southern Alberta: Discussion, 445–446.

Ballivy, G., Loiselle, A. A., and Pouliot, G. Quelques caractéristiques géotechniques des dépôts d'argile de la baie James: les coulées d'argile de Fort Rupert, Québec, 498–509.

Beckie, V. G. *See* Sauer, E. K.

Bergan, A. T. *See* Fredlund, D. G.

Bozozuk, M. Long-term settlement of the National Museum, Ottawa, Canada, 531–533.

Brown, J. D., and Rashid, M. A. Geotechnical properties of nearshore sediments of Canso Strait, Nova Scotia, 44–57.

Chen, W. F., Snitbhan, N., and Fang, H. Y. Stability of slopes in anisotropic, nonhomogeneous soils, 146–152.

Cherry, J. A. *See* Grisak, G. E.

Dayal, U., and Allen, J. H. The effect of penetration rate on the strength of remolded clay and sand samples, 336–348.

Dayal, U., and Allen, J. H. A note on friction ratio, 524–526.

Eden, W. J. *See* Grattan-Bellew, P. E.

Eigenbrod, K. D. Analysis of the pore pressure changes following the excavation of a slope, 429–440.

Eisenstein, Z. *See* Krishnayya, A. V. G.

Emery, J. J. *See* Wilson, N. E.

Fang, H. Y. *See* Chen, W. F.

Fellenius, B. H. A new technique for reduction of excess pore pressure during pile driving: Discussion, 157–159.

Frederking, R., and Gold, L. W. Experimental study of edge loading of ice plates, 456–463.

Fredlund, D. G. A diffused air volume indicator for unsaturated soils, 533–539.

Fredlund, D. G., Bergan, A. T., and Sauer, E. K. Deformation characterization of subgrade soils for highways and runways in Northern environments, 213–223.

Geddes, J. D. Vertical stress components produced by axially symmetrical subsurface loadings, 482–497.

Ghazzaly, O. I., Ha, H. Pore pressures and strains after repeated loading of saturated clay: Discussion, 265–268.

Goit, J. B. *See* Kay, B. D.

Gold, L. W. Blackstrap Lake ice cover parking lot: Ice bridges of the James Bay project: Salvage of heavy construction equipment by a floating ice bridge: Discussion, 441–444.

Gold, L. W. *See* Frederking, R.

Goodrich, L. E. *See* Penner, E.

Grattan-Bellew, P. E., and Eden, W. J. Concrete deterioration and floor heave due to biogeochemical weathering of underlying shale, 372–378.

Greenstein, J. Bearing capacity of strip footings in two layered cohesive friction soils: Discussion, 166–167.

Greenwood, J. R. *See* Wilson, N. E.

Grisak, G. E., and Cherry, J. A. Hydrologic characteristics and response of fractured till and clay confining a shallow aquifer, 23–43.

Ha, H. *See* Ghazzaly, O. I.

Haas, W. M. *See* Alkire, B. D.

Harms, A. A. *See* Wilson, N. E.

Hayley, D. W. *See* Thomson, S.

Hudec, P. P., and Sitar, N. Effect of water sorption on carbonate rock expansivity, 179–186.

Johnston, G. H. *See* Penner, E.
Kaderabek, T. J. *See* Alkire, B. D.
Kay, B. D., and Goit, J. B. Temperature-dependent specific heats of dry soil materials, 209–212.
Kivisild, H. R., Rose, G. D., and Masterson, D. M. Salvage of heavy construction equipment by a floating ice bridge, 58–69.
Krishnayya, A. V. G., and Eisenstein, Z. Brazilian tensile test for soils: Reply, 542.
Krishnayya, A. V. G., and Eisenstein, Z. Brazilian tensile test for soils: Reply, 544–545.
Ladanyi, B. Bearing capacity of strip footings in frozen soils, 393–407.
Ladanyi, B. *See* Rowley, R. K.
Lajtai, E. Z. Failure along planes of weakness, 118–125.
Legget, R. F. Reconstructing London's underground: Book Review, 269–270.
Levinson, M., and Wilson, N. E. A rheological model for soil-structure interaction under cyclic loading, 262–264.
Libby, D. J. *See* Mitchell, R. J.
Loiselle, A. A. *See* Ballivy, G.
Mackay, J. R. Reticulate ice veins in permafrost, Northern Canada: Reply, 163–165.
Mackay, J. R. *See* Mathews, W. H.
Massarsch, K. R. New method for measurement of lateral earth pressure in cohesive soils, 142–146.
Masterson, D. M. *See* Kivisild, H. R.
Mathews, W. H., and Mackay, J. R. Snow creep: its engineering problems and some techniques and results of its investigation, 187–198.
McGown, A., and Radwan, A. M. The presence and influence of fissures in the boulder clays of West Central Scotland, 84–97.
McRoberts, E. C. Some aspects of a simple secondary creep model for deformation in permafrost slopes, 98–105.
McRoberts, E. C. Field observations of thawing in soils, 126–130.
McRoberts, E. C., and Morgenstern, N. R. Pore water expulsion during freezing, 130–141.
McRoberts, E. C., and Nixon, J. F. Reticulate ice veins in permafrost, Northern Canada: Discussion, 159–162.
Mitchell, R. J. Strength parameters for permanent slopes in Champlain Sea clays, 447–455.
Mitchell, R. J., Smith, J. D., and Libby, D. J. Bulkhead pressures due to cemented hydraulic mine backfills, 362–371.
Mittal, H. K., and Morgenstern, N. R. Parameters for the design of tailings dams, 235–261.
Morgenstern, N. R. *See* McRoberts, E. C.
Morgenstern, N. R. *See* Mittal, H. K.
Morgenstern, N. R., and Nixon, J. F. An analysis of the performance of a warm-oil pipeline in permafrost, Inuvik, N.W.T. 199–208.
Nixon, J. F. *See* McRoberts, E. C.
Nixon, J. F. *See* Morgenstern, N. R.
Nixon, J. F. The role of convective heat transport in the thawing of frozen soils, 425–429.
Novak, M. Erratum: Dynamic stiffness and damping of piles, 548.
Palmer, W. T. The influence surface method for floating ice plates, 224–234.
Parry, R. H. G. *See* Ajaz, A.
Penner, E., Johnston, G. H., and Goodrich, L. E. Thermal conductivity laboratory studies of some Mackenzie Highway soils, 271–288.
Pouliot, G. *See* Ballivy, G.
Purushothamaraj, P., Ramiah, B. K., and Rao, K. N. V. Bearing capacity of strip footings in two layered cohesive-friction soils: Reply, 268.
Quigley, R. M. Microstructure of Billings shale and biochemical alteration products, Ottawa, Canada: Discussion, 445.
Radwan, A. M. *See* McGown, A.
Rainer, J. H. Damping in dynamic structure–foundation interaction, 13–22.
Rainer, J. H. Study of bridge foundation performance under dynamic loading: Discussion, 166.
Ramanatha Iyer, T. S. The behavior of Drammen plastic clay under low effective stresses. 70–83.
Ramiah, B. K. *See* Purushothamaraj, P.
Rao, K. N. V. *See* Purushothamaraj, P.
Rashid, M. A. *See* Brown, J. D.
Richardson, N. W., and Sauer, E. K. Terrain evaluation of the Dempster Highway across the Eagle Plain and along the Richardson Mountains, Yukon Territory, 296–319.
Roderick, G. L. Electroosmotic reduction of ocean bottom breakout forces and times, 289–295.
Roggensack, W. D. Large scale laboratory direct shear tests on ice, 169–178.
Rose, G. D. *See* Kivisild, H. R.
Rowley, R. K., Watson, G. H., and Ladanyi, B. Prediction of pile performance in permafrost under lateral load, 510–523.

Sauer, E. K. Urban fringe development and slope instability in Southern Saskatchewan. 106–118.
Sauer, E. K. *See* Fredlund, D. G.
Sauer, E. K. *See* Richardson, N. W.
Sauer, E. K., and Beckie, V. G. Groundwater exploration in Pleistocene deposits at Landis, Saskatchewan, Canada, 464–481.
Schwartz, F. W. Hydrogeologic investigation of a radioactive waste management site in southern Alberta, 349–361.
Schwartz, F. W. Response testing of piezometers in fractured porous media, 408–412.
Schwartz, F. W. Hydrogeologic investigation of a radioactive waste management site in southern Alberta: Reply, 446.
Shields, D. H. Innovations in tailings disposal, 320–325.
Sitar, N. *See* Hudec, P. P.
Slusarchuk, W. A., and Watson, G. H. Thermal conductivity of some ice-rich permafrost soils, 413–424.
Smith, J. D. *See* Mitchell, R. J.
Snitbhan, N. *See* Chen, W. F.
Thomson, S., and Hayley, D. W. The Little Smoky landslide, 379–392.
Torrance, J. K. On the role of chemistry in the development and behavior of the sensitive marine clays of Canada and Scandinavia, 326–335.
Uriel, A. O. Brazilian tensile test for soils: Discussion, 540–541.
Vonhof, J. A. Hydrodynamic response—or slug tests as a means to monitor the progress of well development, 1–12.
Wilson, N. E. *See* Levinson, M.
Watson, G. H. *See* Rowley, R. K.
Watson, G. H. *See* Slusarchuk, W. A.
Wilson, N. E., and Greenwood, J. R. Pore pressures and strains after repeated loading of saturated clay: Reply, 545–546.
Wilson, N. E., and Greenwood, J. R. Erratum: Pore pressures and strains after repeated loading of saturated clay, 547.
Wilson, N. E., Harms, A. A., and Emery, J. J. A neutron radiographic *in vitro* examination of soils, 152–156.

SUBJECT INDEX / RÉPERTOIRE DES SUJETS[1]

A. General

02. *Historical Aspects*
Reconstructing London's underground: Book Review. Legget, R. F., 269.

B. Engineering Geology

01. *Soil Formation*
On the role of chemistry in the development and behavior of the sensitive marine clays of Canada and Scandinavia. Torrance, J. K., 326.

02. *Groundwater*
Hydrologic characteristics and response of fractured till and clay confining a shallow aquifer. Grisak, G. E. and Cherry, J. A., 23.
Hydrogeologic investigation of a radioactive waste management site in southern Alberta. Schwartz, F. W., 349.
Response testing of piezometers in fractured porous media. Schwartz, F. W., 408.
Hydrogeologic investigation of a radioactive waste management site in southern Alberta: Discussion. Baar, C. A., 445.
Hydrogeologic investigation of a radioactive waste management site in southern Alberta: Reply. Schwartz, F. W., 446.
Groundwater exploration in Pleistocene deposits at Landis, Saskatchewan, Canada. Sauer, E. K. and Beckie, V. G., 464.

03. *Mass Movements and Subsidence*
The Little Smoky landslide. Thomson, S. and Hayley, D. W. 379.

05. *Permafrost and Frozen Ground*
Some aspects of a simple secondary creep model for deformations in permafrost slopes. McRoberts, E. C., 98.
Field observations of thawing in soils. McRoberts, E. C., 126.
Reticulate ice veins in permafrost, Northern Canada: Discussion. McRoberts, E. C. and Nixon, J. F., 159.
Reticulate ice veins in permafrost, Northern Canada: Reply. Mackay, J. R., 163.
An analysis of the performance of a warm-oil pipeline in permafrost, Inuvik, N.W.T. Morgenstern, N. R. and Nixon, J. F., 199.
Terrain evaluation of the Dempster Highway across the Eagle Plain and along the Richardson Mountains, Yukon Territory. Richardson, N. W. and Sauer, E. K., 296.
Bearing capacity of strip footings in frozen soils. Ladanyi, B., 393.
Thermal conductivity of some ice-rich permafrost soils. Slusarchuk, W. A. and Watson, G. H., 413.
The role of convective heat transport in the thawing of frozen soils. Nixon, J. F., 425.
Prediction of pile performance in permafrost under lateral load. Rowley, R. K., Watson, G. H. and Ladanyi, B., 510.

06. *Submarine Geology*
Geotechnical properties of nearshore sediments of Canso Strait, Nova Scotia. Brown, J. D. and Rashid, M. A., 44.

10. *Mineralogy and Petrology*
Concrete deterioration and floor heave due to biogeochemical weathering of underlying shale. Grattan-Bellew, P. E. and Eden, W. J., 372.
Microstructure of Billings shale and biochemical alteration products, Ottawa, Canada: Discussion. Quigley, R. M., 445.

[1]Based on the International Geotechnical Classification System (IGC) approved in 1969 by the International Society for Soil Mechanics and Foundation Engineering. Permission to use this classification system is gratefully acknowledged.

C. Site Investigations

01. *Airphoto Surveys*
Terrain evaluation of the Dempster Highway across the Eagle Plain and along the Richardson Mountains, Yukon Territory. Richardson, N. W. and Sauer, E. K., 296.

03. *Probings (Soundings)*
A note on friction ratio. Dayal, U. and Allen, J. H., 524.

05. *Boring Technique and Equipment and Recording of Results*
Geotechnical properties of nearshore sediments of Canso Strait, Nova Scotia. Brown, J. D. and Rashid, M. A., 44.

07. *Measurement of Field Conditions (incl. groundwater, in situ stress)*
Hydrodynamic response—or slug tests as a means to monitor the progress of well development. Vonhof, J. A., 1.
Groundwater exploration in Pleistocene deposits at Landis, Saskatchewan, Canada. Sauer, E. K. and Beckie, V. G., 464.

08. *Field Testing (excl. tests for engineering properties)*
An analysis of the performance of a warm-oil pipeline in permafrost, Inuvik, N.W.T. Morgenstern, N. R. and Nixon, J. F., 199.

09. *Reports on Site Investigations*
Hydrogeologic investigation of a radioactive waste management site in southern Alberta. Schwartz, F. W., 349.
Hydrogeologic investigation of a radioactive waste management site in southern Alberta: Discussion. Baar, C. A., 445.
Hydrogeologic investigation of a radioactive waste management site in southern Alberta: Reply. Schwartz, F. W., 446.
Quelques caractéristiques géotechniques des dépôts d'argile de la baie James: les coulées d'argile de Fort Rupert, Québec. Ballivy, G., Loiselle, A. A. et Pouliot, G., 498.

D. Soil Properties: Laboratory and Field Determinations

00. *General (incl. laboratory supplies)*
Parameters for the design of tailings dams. Mittal, H. K. and Morgenstern, N. R., 235.
Quelques caractéristiques géotechniques des dépôts d'argile de la baie James: les coulées d'argile de Fort Rupert, Québec. Ballivy, G., Loiselle, A. A. et Pouliot, G., 498.

01. *Classification and Identification*
A neutron radiographic *in vitro* examination of soils. Wilson, N. E., Harms, A. A. and Emery, J. J., 152.

02. *Physico-chemical Properties (incl. corrosion and thixotropy)*
Electroosmotic reduction of ocean bottom breakout forces and times. Roderick, G. L., 289.
On the role of chemistry in the development and behavior of the sensitive marine clays of Canada and Scandinavia. Torrance, J. K., 326.

03. *Composition, Structure, and Density (incl. porosity)*
The presence and influence of fissures in the boulder clays of West Central Scotland. McGown, A. and Radwan, A. M., 84.
The effect of penetration rate on the strength of remolded clay and sand samples. Dayal, U. and Allen, J. H., 336.

04. *Permeability and Capillarity*
Hydrogeologic investigation of a radioactive waste management site in southern Alberta. Schwartz, F. W., 349.
Hydrogeologic investigation of a radioactive waste management site in southern Alberta: Discussion. Baar, C. A., 445.
Hydrogeologic investigation of a radioactive waste management site in southern Alberta: Reply. Schwartz, F. W., 446.

05. *Compressibility (incl. consolidation and swelling)*
Geotechnical properties of nearshore sediments of Canso Strait, Nova Scotia. Brown, J. D. and Rashid, M. A., 44.
An analysis of the performance of a warm-oil pipeline in permafrost, Inuvik, N.W.T. Morgenstern, N. R. and Nixon, J. F., 199.
Deformation characterization of subgrade soils for highways and runways in Northern environments. Fredlund, D. G., Bergan, A. T. and Sauer, E. K., 213.
Pore pressures and strains after repeated loading of saturated clay: Discussion. Ghazzaly, O. I. and Ha, H., 265.
Long-term settlement of the National Museum, Ottawa, Canada. Bozozuk, M., 531.
Pore pressures and strains after repeated loading of saturated clay: Reply. Wilson, N. E. and Greenwood, J. R., 545.
Erratum: Pore pressures and strains after repeated loading of saturated clay. Wilson, N. E. and Greenwood, J. R., 547.

06. *Shear-deformation and Strength Properties (incl. pore-water pressure)*
Geotechnical properties of nearshore sediments of Canso Strait, Nova Scotia. Brown, J. D. and Rashid, M. A., 44.
The behavior of Drammen plastic clay under low effective stresses. Ramanatha Iyer, T. S., 70.
New method for measurement of lateral earth pressure in cohesive soils. Massarsch, K. R., 142.
Bulkhead pressures due to cemented hydraulic mine backfills. Mitchell, R. J., Smith, J. D. and Libby, D. J., 362.
Strength parameters for permanent slopes in Champlain Sea clays. Mitchell, R. J., 447.
Prediction of pile performance in permafrost under lateral load. Rowley, R. K., Watson, G. H. and Ladanyi, B., 510.
A diffused air volume indicator for unsaturated soils. Fredlund, D. G., 533.
Brazilian tensile test for soils: Discussion. Uriel, A. O., 540.
Brazilian tensile test for soils: Reply. Krishnayya, A. V. G. and Eisenstein, Z., 542.
Brazilian tensile test for soils: Discussion. Ajaz, A. and Parry, H. G., 542.
Brazilian tensile test for soils: Reply. Krishnayya, A. V. G. and Eisenstein, Z., 544.
Erratum: Pore pressures and strains after repeated loading of saturated clay. Wilson, N. E. and Greenwood, J. R., 547.

08. *Thermal Properties (incl. freezing)*
Field observations of thawing in soils. McRoberts, E. C., 126.
Pore water expulsion during freezing. McRoberts, E. C. and Morgenstern, N. R., 130.
Temperature-dependent specific heats of dry soil materials. Kay, B. D. and Goit, J. B., 209.
Thermal conductivity laboratory studies of some Mackenzie Highway soils. Penner, E., Johnston, G. H. and Goodrich, L. E., 271.
Thermal conductivity of some ice-rich permafrost soils. Slusarchuk, W. A. and Watson, G. H., 413.

09. *Compactibility*
Improving low temperature compaction of a granular soil. Alkire, B. D., Haas, W. M. and Kaderabek, T. J., 527.

E. Analysis of Soil-engineering Problems

01. *In Situ Stresses Caused by Gravity, Applied Loads, and Excavations*
Vertical stress components produced by axially symmetrical subsurface loadings. Geddes, J. D., 482.

03. *Bearing Capacity of Soils*
Bearing capacity of strip footings in two layered cohesive-friction soils: Discussion. Greenstein, J., 166.
Bearing capacity of strip footings in two layered cohesive-friction soils: Reply. Purushothamaraj, P., Ramiah, B. K. and Rao, K. N. V., 268.
Bearing capacity of strip footings in frozen soils. Ladanyi, B., 393.

04. *Bearing Capacity of Piles*
Prediction of pile performance in permafrost under lateral load. Rowley, R. K., Watson, G. H. and Ladanyi, B., 510.

05. *Earth Pressure Problems (incl. silos)*
Bulkhead pressure due to cemented hydraulic mine backfills. Mitchell, R. J., Smith, J. D. and Libby, D. J. 362.

06. *Stability of Slopes, Cuts, and Excavations*
Some aspects of a simple secondary creep model for deformations in permafrost slopes. McRoberts, E. C., 98.
Urban fringe development and slope instability in Southern Saskatchewan. Sauer, E. K., 106.
Stability of slopes in anisotropic, nonhomogeneous soils. Chen, W. F., Snitbhan, N. and Fang, H. Y., 146.
Analysis of the pore pressure changes following the excavation of a slope. Eigenbrod, K. D., 429.
Strength parameters for permanent slopes in Champlain Sea clays. Mitchell, R. J.,

07. *Seepage and Other Hydraulic Problems (incl. erosion)*
Hydrologic characteristics and response of fractured till and clay confining a shallow aquifer. Grisak, G. E. and Cherry, J. A., 23.

08. *Dynamic Problems*
Damping in dynamic structure–foundation interaction. Rainer, J. H., 13.
Study of bridge foundation performance under dynamic loading: Discussion. Rainer, J. H., 166.
A rheological model for soil-structure interaction under cyclic loading. Levinson, M. and Wilson, N. E., 262.
Erratum: Dynamic stiffness and damping of piles. Novak, M., 548.

09. *Frost Action and Heat-transfer Problems*
The role of convective heat transport in the thawing of frozen soils. Nixon, J. F., 425.

F. Rock Properties: Laboratory and Field Determinations

05. *Compressibility and Swelling*
Effect of water sorption on carbonate rock expansivity. Hudec, P. P. and Sitar, N., 179.

06. *Shear-deformation and Strength Properties*
Failure along planes of weakness. Lajtai, E. Z., 118.

G. Analysis of Rock-engineering Problems

02. *Deformation Problems*
Concrete deterioration and floor heave due to biogeochemical weathering of underlying shale. Grattan-Bellew, P. E. and Eden, W. J., 372.

05. *Seepage Problems (incl. drainage)*
Response testing of piezometers in fractured porous media. Schwartz, F. W., 408.

H. Design, Construction, and Behavior of Engineering Works

04. *Earthworks, Embankments, Fills, and Dams*
Parameters for the design of tailings dams. Mittal, H. K. and Morgenstern, N. R., 235.
Innovations in tailings disposal. Shields, D. H., 320.

05. *Underground Structures (incl. tunnels, conduits, and dams)*
Reconstructing London's underground. Book Review. Legget, R. F., 269.

K. Construction Methods and Equipment

07. *Piles and Pile Driving*
A new technique for reduction of excess pore pressure during pile driving: Discussion. Fellenius, B. H., 157.

S. Snow and Ice Mechanics and Engineering

02. *Properties of Snow and Ice*
Large scale laboratory direct shear tests on ice. Roggensack, W. D., 169.
Snow creep: its engineering problems and some techniques and results of its investigation. Mathews, W. H. and Mackay, J. R., 187.

03. *Snow and Ice Engineering*

Salvage of heavy construction equipment by a floating ice bridge. Kivisild, H. R., Rose, G. D. and Masterson, D. M., 58.

The influence surface method for floating ice plates. Palmer, W. T. 224.

Blackstrap Lake ice cover parking lot: Ice bridges of the James Bay project: Salvage of heavy construction equipment by a floating ice bridge: Discussion. Gold, L. W., 441.

Experimental study of edge loading of ice plates. Frederking, R. and Gold, L. W., 456.

Canadian Geotechnical Journal

Revue canadienne de géotechnique

Volume 12 • 1975

Editor / Directeur scientifique

D. J. BAZETT

Published by the
National Research Council
of Canada

Publiée par le
Conseil national de recherches
du Canada

CONTENTS / SOMMAIRE

FEBRUARY/FÉVRIER

ARTICLES:

J. A. Vonhof Hydrodynamic response—or slug tests as a means to monitor the progress of well development 1

J. H. Rainer Damping in dynamic structure–foundation interaction 13

G. E. Grisak and J. A. Cherry Hydrologic characteristics and response of fractured till and clay confining a shallow aquifer 23

J. D. Brown and M. A. Rashid Geotechnical properties of nearshore sediments of Canso Strait, Nova Scotia 44

H. R. Kivisild, G. D. Rose, and D. M. Masterson Salvage of heavy construction equipment by a floating ice bridge 58

T. S. Ramanatha Iyer The behavior of Drammen plastic clay under low effective stresses 70

Alan McGown and Amr M. Radwan The presence and influence of fissures in the boulder clays of West Central Scotland 84

TECHNICAL NOTES/NOTES TECHNIQUES:

Edward C. McRoberts Some aspects of a simple secondary creep model for deformations in permafrost slopes 98

E. Karl Sauer Urban fringe development and slope instability in Southern Saskatchewan 106

E. Z. Lajtai Failure along planes of weakness 118

Edward C. McRoberts Field observations of thawing in soils 126

Edward C. McRoberts and Norbert R. Morgenstern Pore water expulsion during freezing 130

K. Rainer Massarsch New method for measurement of lateral earth pressure in cohesive soils 142

W. F. Chen, N. Snitbhan, and H. Y. Fang Stability of slopes in anisotropic, nonhomogeneous soils 146

N. E. Wilson, A. A. Harms, and J. J. Emery A neutron radiographic *in vitro* examination of soils 152

DISCUSSIONS:

Bengt H. Fellenius A new technique for reduction of excess pore pressure during pile driving: Discussion 157

E. C. McRoberts and J. F. Nixon Reticulate ice veins in permafrost, Northern Canada: Discussion 159

J. Ross Mackay Reticulate ice veins in permafrost, Northern Canada: Reply 163

J. H. Rainer Study of bridge foundation performance under dynamic loading: Discussion 166

J. Greenstein Bearing capacity of strip footings in two layered cohesive friction soils: Discussion 166

MAY/MAI

ARTICLES:

W. D. Roggensack Large scale laboratory direct shear tests on ice 169

Peter P. Hudec and Nicholas Sitar Effect of water sorption on carbonate rock expansivity 179

W. H. Mathews and J. R. Mackay Snow creep: Its engineering problems and some techniques and results of its investigation 187

Norbert R. Morgenstern and John F. Nixon An analysis of the performance of a warm-oil pipeline in permafrost, Inuvik, N.W.T. 199

B. D. Kay and J. B. Goit Temperature-dependent specific heats of dry soil materials 209

D. G. Fredlund, A. T. Bergan, and E. K. Sauer Deformation characterization of subgrade soils for highways and runways in Northern environments 213

W. T. Palmer The influence surface method for floating ice plates 224

Hari K. Mittal and Norbert R. Morgenstern Parameters for the design of tailings dams 235

TECHNICAL NOTE/NOTE TECHNIQUE:

Mark Levinson and Nyal E. Wilson A rheological model for soil-structure interaction under cyclic loading 262

DISCUSSIONS:

Osman I. Ghazzaly and HoBoo Ha Pore pressures and strains after repeated loading of saturated clay: Discussion 265

P. Purushothamaraj, B. K. Ramiah, and K. N. Venkatakrishna Rao Bearing capacity of strip footings in two layered cohesive-friction soils: Reply 268

BOOK REVIEW/CRITIQUE DE LIVRE:

Robert F. Legget Reconstructing London's underground 269

AUGUST/AOÛT

ARTICLES:

E. Penner, G. H. Johnston, and L. E. Goodrich Thermal conductivity laboratory studies of some Mackenzie Highway soils 271

G. L. Roderick Electroosmotic reduction of ocean bottom breakout forces and times 289

Neil W. Richardson and E. Karl Sauer Terrain evaluation of the Dempster Highway across the Eagle Plain and along the Richardson Mountains, Yukon Territory 296

Donald Hugh Shields Innovations in tailings disposal 320

J. Kenneth Torrance On the role of chemistry in the development and behavior of the sensitive marine clays of Canada and Scandinavia 326

Umesh Dayal and John H. Allen The effect of penetration rate on the strength of remolded clay and sand samples 336

Franklin W. Schwartz Hydrogeologic investigation of a radioactive waste management site in southern Alberta 349

R. J. Mitchell, J. D. Smith, and D. J. Libby Bulkhead pressures due to cemented hydraulic mine backfills 362

P. E. Grattan–Bellew and W. J. Eden Concrete deterioration and floor heave due to biogeochemical weathering of underlying shale 372

S. Thomson and D. W. Hayley The Little Smoky landslide 379

B. Ladanyi Bearing capacity of strip footings in frozen soils 393

Franklin W. Schwartz Response testing of piezometers in fractured porous media 408

W. A. Slusarchuk and G. H. Watson Thermal conductivity on some ice-rich permafrost soils 413

TECHNICAL NOTES/NOTES TECHNIQUES:

John F. Nixon The role of convective heat transport in the thawing of frozen soils 425

Kurt D. Eigenbrod Analysis of the pore pressure changes following the excavation of a slope 429

DISCUSSIONS:

L. W. Gold Blackstrap Lake ice cover parking lot: Ice bridges of the James Bay project: Salvage of heavy construction equipment by a floating ice bridge: Discussion 441

R. M. Quigley Microstructure of Billings shale and biochemical alteration products, Ottawa, Canada: Discussion 445

C. A. Baar Hydrogeologic investigation of a radioactive waste management site in southern Alberta: Discussion 445

Franklin W. Schwartz Hydrogeologic investigation of a radioactive waste management site in southern Alberta: Reply 446

NOVEMBER/NOVEMBRE

ARTICLES:

R. J. Mitchell Strength parameters for permanent slopes in Champlain Sea clays 447

R. Frederking and L. W. Gold Experimental study of edge loading of ice plates 456

E. Karl Sauer and V. G. Beckie Groundwater exploration in Pleistocene deposits at Landis, Saskatchewan, Canada 464

James D. Geddes Vertical stress components produced by axially symmetrical subsurface loadings 482

G. Ballivy, A. A. Loiselle et G. Pouliot Quelques caractéristiques géotechniques des dépôts d'argile de la baie James: les coulées d'argile de Fort Rupert, Québec 498

R. K. Rowley, G. H. Watson, and B. Ladanyi Prediction of pile performance in permafrost under lateral load 510

TECHNICAL NOTES/NOTES TECHNIQUES:

Umesh Dayal and J. H. Allen A note on friction ratio 524

B. D. Alkire, W. M. Haas, and T. J. Kaderabek Improving low temperature compaction of a granular soil 527

M. Bozozuk Long-term settlement of the National Museum, Ottawa, Canada 531

D. G. Fredlund A diffused air volume indicator for unsaturated soils 533

DISCUSSIONS:

A. O. Uriel Brazilian tensile test for soils: Discussion 540

A. V. G. Krishnayya and Z. Eisenstein Brazilian tensile test for soils: Reply 542

Arif Ajaz and Richard H. G. Parry Brazilian tensile test for soils: Discussion 542

A. V. G. Krishnayya and Z. Eisenstein Brazilian tensile test for soils: Reply 544

Nyal E. Wilson and John R. Greenwood Pore pressures and strains after repeated loading of saturated clay: Reply 545

ERRATA:

Nayal E. Wilson and John R. Greenwood Errata: Pore pressures and strains after repeated loading of saturated clay 547

M. Novak Errata: Dynamic stiffness and damping of piles 548

Author Index 549

Subject Index 552

Contents of Volume 12 iii